Product Kitchen Paint
Revision date 20 May 2021

Revision 1



# **Safety Data Sheet (SDS)**

according to Regulation (EC) No. 1907/2006

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name Kitchen Paint

Other means of identification No information available.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Paint or paint related material.

Uses advised against Any other purpose.

## 1.3 Details of the supplier of the safety data sheet

**Supplier** FSW Coatings Ltd.

Virginia Co Cavan Ireland

Tel: 353 49854 7209

Contact person info@fsw.ie

1.4 Emergency telephone number

**Emergency telephone** + 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)

## **Section 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Not classified Human health Not classified Environment Not classified

## 2.2 Label elements

**Contains** Not applicable

Label in accordance with (EC) no.

1272/2008

No pictogram required

Signal word No Signal Word

**Hazard statements** No hazard statements required

**Precautionary statements** No precautionary statements required

**EUH statements** EUH208 Contains 1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one and reaction mass

of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1).

 $\label{eq:may_produce} \mbox{May produce an allergic reaction.}$ 

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not

breathe spray or mist.

### 2.3 Other hazards

None known.

## Section 3: Composition/information on ingredients

## 3.1 Substance

Not applicable.

#### 3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
titanium dioxide	CAS-No.: 13463-67-7 EC No.: 236-675-5		10-20%
Talc (Mg3H2(SiO3)4)	CAS-No.: 14807-96-6 EC No.: 238-877-9		1-5%
diiron trioxide	CAS-No.: 1309-37-1 EC No.: 215-168-2		0.1-0.9%
2-(2-butoxyethoxy)ethanol	CAS-No.: 112-34-5 EC No.: 203-961-6 REACH Reg No.: 01-2119475104-44-XXXX	Eye Irrit.2A - H319	0.1-0.9%
1,2-benzisothiazol-3(2H)-one 1,2- benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC No.: 220-120-9	Acute Tox 4 - H302, Skin Irrit.2 - H315, Skin. Sens 1 - H317, Eye Dam. 1 - H318, Aquatic Acute 1 - H400	<0.1%
formaldehyde 100 %	CAS-No.: 50-00-0 EC No.: 200-001-8	Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Muta. 2- H341, Carc. 1B - H350	<0.1%
reaction mass of: 5-chloro-2-meth-l-4-isothiazolin-3-one [EC no. 247-50-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) and 2-methy-4-isothiazolin-3-one [EC no. 220-23-6] (3:1)	CAS-No.: 55965-84-9 EC No.:	Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	<0.1%

The full text for all hazard statements are displayed in section 16.

**Composition comments** The data shown are in accordance with the latest EC Directives.

## **Section 4: First aid measures**

## 4.1 Description of first aid measures

General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if

symptoms persist, always call a doctor.

**Inhalation** Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort or breathing difficulties develop.

**Ingestion** Rinse mouth out and then drink plenty of water. Seek medical attention.

**Skin contact** Remove affected person from source of contamination. Wash exposed area with soap and

water. Get medical attention if irritation develops or persists.

**Eye contact** Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle

stream water for at least 15 minutes. Seek medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

**General information** The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

InhalationProlonged inhalation of fog or mist may be irritating to nose and throat.IngestionProlonged exposure to product may cause irritation to lining of the mouth.

Skin contactMay cause an allergic skin reaction.Eye contactMay cause temporary eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

## **Section 5: Firefighting measures**

## 5.1 Extinguishing media

Extinguishing media This product is not flammable. Use fire-extinguishing media appropriate for surrounding

materials.

Unsuitable extinguishing media High volume water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Unusual fire & explosion hazards

Specific hazards

During fire, gases hazardous to health may be formed.

No unusual fire or explosion hazards noted.

In the event of damage to packaging, floors may become slippery, avoid falls.

#### 5.3 Advice for firefighters

Special fire fighting procedures

Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so. Protective equipment for firefighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-

fighters (including helmets, protective boots and gloves) conforming to European standard

EN 469 will provide a basic level of protection for chemical incidents.

#### Section 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders

Wear protective clothing as described in Section 8 of this safety data sheet.

Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

## **6.2 Environmental precautions**

**Environmental precautions** 

Avoid discharge in to drains and water courses.

#### 6.3 Methods and material for containment and cleaning up

Spill clean up methods

Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.

### 6.4 Reference to other sections

Reference to other sections

See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.

## **Section 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handling

Read and follow manufacturer's recommendations. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper personal protection when handling (refer to Section 8).

## 7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a cool, dry and well-ventilated place. Keep

upright, locked up and out of reach of children.

Storage class Unspecified storage.

## 7.3 Specific end use(s)

Specific end use(s) Usage description

The identified uses for this product are detailed in Section 1. Use only according to directions. Replace and tighten cap after use.

## Section 8: Exposure controls/Personal protection

#### **8.1 Control parameters**

Component	STD	TWA (	8 Hrs)	STEL (1	15mins)	Notes
titanium dioxide	OEL		10 mg/m <sup>3</sup>			
titanium dioxide	OEL		4 mg/m <sup>3</sup>			
Talc (Mg3H2(SiO3)4)	OEL		10 mg/m <sup>3</sup>			
Talc (Mg3H2(SiO3)4)	OEL		0.8 mg/m <sup>3</sup>			
diiron trioxide	OEL		5 mg/m <sup>3</sup>		10 mg/m <sup>3</sup>	
diiron trioxide	OEL		10 mg/m <sup>3</sup>			
diiron trioxide	OEL		4 mg/m <sup>3</sup>			
2-(2-butoxyethoxy)ethanol	OEL	10 ppm	67.5 mg/m <sup>3</sup>	12 ppm	101.2 mg/m <sup>3</sup>	IOELV
formaldehyde 100 %	OEL	0.3 ppm	0.37 mg/m <sup>3</sup>	0.6 ppm	0.738 mg/m <sup>3</sup>	BOELV, Carc 1B, Sens, Limit value 0.5ppm/0.62mg/m3 for the healthcare, funeral and embalming sectors until 11 July 202420.

**Ingredient comments** 

Ireland, Occupational Exposure Limits 2020.

#### **8.2 Exposure Controls**

Protective equipment

**Hand protection** 



Engineering measures Observe occupational exposure limits and minimize the risk of inhalation of dust. Provide

adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

**Respiratory equipment** No specific recommendation made, but respiratory protection must be used if the general

level exceeds the recommended occupational exposure limit. Use type ABEK (EN 14387) respirator cartridges. Change filters frequently Consult manufacturer for specific advice. Use suitable protective gloves if there is a risk of skin contact. Consult manufacturer for

specific advice. Suggested material: Nitrile rubber gloves. Layer thickness: 0.11mm.

Breakthrough time: >480 min.

**Eye protection** Use equipment for eye protection tested and approved under appropriate government

standards such as EN 166(EU).

**Other protection** Wear appropriate clothing to prevent any possibility of skin contact. The selected clothing

must satisfy the European norm standard EN 943.

**Hygiene measures** Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or

smoke while using this product. Avoid contact with skin, eyes and clothing.

**Process conditions**Use only according to directions. Ensure that eye flushing systems and safety showers are

located close by in the work place.

## Section 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

AppearanceViscous liquid.ColourWhite opaque.OdourFaint odour.

Odour threshold - lower No information available as testing has not been completed.

**Odour threshold - upper**No information available as testing has not been completed.

**pH-Value, Conc. Solution** 7.5 - 9.0

**pH-Value, Diluted solution** No information available as testing has not been completed.

Melting point May start to solidify at the temperatures below 2°C. This is based on data for the following

ingredient: water

Initial boiling point and boiling

range

42°C

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability state Non flammable

Flammability limit - lower(%) No information available as testing has not been completed.

Flammability limit - upper(%) 0%

Vapour pressure Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa

(23.4 mm Hg) (at 20°C)

Vapour density (air=1) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan-

-1,3-diol).

**Relative density** 1.30 +/- 0.20

**Bulk density**No information available as testing has not been completed.

**Solubility** Partially soluble in cold water.

**Decomposition temperature** Stable under normal handling and storage conditions

Partition coefficient; n-

Octanol/Water

No information available as testing has not been completed.

Auto ignition temperature (°C) Not applicable.

**Viscosity** Kinematic (40°C): >0.21 cm<sup>2</sup>/s

**Explosive properties** Not classified as explosive.

Oxidising properties The product does not meet the criteria to be classified as oxidising.

9.2 Other information

Molecular weight No information available as testing has not been completed.

**Volatile organic compound** 10.00 g/litre

**Other information** Volume solids: 33.0 +/- 1.0%

Weight Solids: 47.0% +/- 1.0%

## Section 10: Stability and reactivity

10.1 Reactivity

**Reactivity** No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

Hazardous reactions For information on hazardous reactions see section 10.1.

Hazardous polymerisationUnknown.Polymerisation descriptionUnknown.

**10.4 Conditions to Avoid** 

Conditions to avoid Avoid heat, flames and other sources of ignition. Extremes of temperature and direct

sunlight.

#### 10.5 Incompatible materials

Materials to avoid Do not mix with other chemicals unless listed on directions. Strong oxidising substances.

#### 10.6 Hazardous decomposition products

Hazardous decomposition products When heated, vapours/gases hazardous to health may be formed.

## **Section 11: Toxicological information**

#### 11.1 Information on hazard classses as defined in Regulation (EC) No. 1272/2008

**Toxicological information** No toxicological information for the overall finished product.

Acute toxicity (Oral LD50)

Acute toxicity (Dermal LD50)

Acute toxicity (Inhalation LD50)

No information available as testing has not been completed.

No information available as testing has not been completed.

No information available as testing has not been completed.

**Serious eye damage/irritation** Product is not classified as an eye irritant.

**Skin corrosion/irritation** The product is not classified as a skin corrosion/irritation hazard.

**Respiratory sensitisation**The product is not classified as a respiratory hazard. **Skin sensitisation**The product is not classified as a skin sensitisation hazard.

**Germ cell mutagenicity** The product is not classified as a mutagen.

**Carcinogenicity** The product is not classified as a carcinogen hazard.

**Specific target organ toxicity - Single exposure:** 

STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.

Specific target organ toxicity - Repeated exposure:

**STOT - Repeated exposure**The product is not classified as a repeat exposure specific target organ toxin.

InhalationProlonged inhalation of fog or mist may be irritating to nose and throat.IngestionProlonged exposure to product may cause irritation to lining of the mouth.

Skin contactMay cause an allergic skin reaction.Eye contactMay cause temporary eye irritation.

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

**Routes of entry** Eyes, skin, ingestion or inhalation.

**Target organs** Eyes, skin, digestive system, respiratory system.

**Aspiration hazards:** The product is not classified as an aspiration hazard. **Reproductive toxicity:** The product is not classified as a reproductive hazard.

Name	LD50 oral	II IIbii darmai	LD50 inhalation
formaldehyde 100 %	>200.00mg/kg Rat >200.00mg/kg Rat		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-50-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	>5000.00 Rat	>5000.00mg/kg Rabbit	
2-(2-butoxyethoxy)ethanol	3305.00mg/kg Rat	2764.00mg/kg Rabbit	

#### 11.2 Information on other hazards

**Information on other hazards** None known.

#### **Section 12: Ecological information**

## 12.1 Toxicity

Acute toxicity - Fish

Acute toxicity - Aquatic invertebrates

No information available as testing has not been completed.

Acute toxicity - Aquatic plants

Acute toxicity - Microorganisms

Chronic toxicity - Fish

Chronic toxicity - Aquatic

No information available as testing has not been completed.

No information available as testing has not been completed.

No information available as testing has not been completed.

No information available as testing has not been completed.

No information available as testing has not been completed.

invertebrates

Chronic toxicity - Aquatic plants
Chronic toxicity - Microorganisms

No information available as testing has not been completed.
No information available as testing has not been completed.

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the

the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

**Eco toxilogical information** Not classified as dangerous for the environment according to the criteria of Regulation (EC)

No 1272/2008.

### 12.2 Persistence and degradability

DegradabilityThe degradability of the product has not been stated.Biological oxygen demandNo information available as testing has not been completed.Chemical oxygen demandNo information available as testing has not been completed.

## 12.3 Bioaccumulative potential

Bioaccumulative potential
Bioaccumulation factor
Partition coefficient; nOctanol/Water

No data available on bioaccumulation.
No information available as testing has not been completed.
No information available as testing has not been completed.

## 12.4 Mobility in soil

**Mobility** Partially soluble in cold water.

## 12.5 Results of PBT and vPvB assessment

 $\textbf{Results of PBT and vPvB assessment} \ \ \textbf{The product does not contain any PBT or vPvB Substances}.$ 

#### 12.6 Endocrine disrupting properties

**Endocrine disrupting properties**The product does not contain any substances with endocrine disrupting properties at a concentration above or equal to 0.1%.

#### 12.7 Other adverse effects

Other adverse effects None known.

Name	IACIITA TOXICITY (FISH)	Acute toxicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
[no. 24/-500-/] and 2-methyl-2H -isothiazol-3-one [EC no. 220-	LC50 96 Hours 0.22mg/l Onchorhynchus mykiss (Rainbow Trout)	EC50 48 Hours 0.10mg/l Daphnia magna	
titanium dioxide		EC50 48 Hours >1000.00mg/l Daphnia magna	
2-(2-butoxyethoxy)ethanol	LC50 96 Hours 1300.00mg/l Lepomis macrochirus (Bluegill)	EC50 48 Hours >100.00mg/l Daphnia magna	

## **Section 13: Disposal considerations**

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

#### 13.1 Waste treatment methods

Disposal methods

Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations. For waste disposal, use a licensed industrial waste disposal agent.

## **Section 14: Transport information**

#### 14.1 UN number or ID number

UN no. (ADR)
UN no. (IMDG)
Not applicable.
UN no. (IATA)
Not applicable.

## 14.2 UN proper shipping name

ADR proper shipping name
IMDG proper shipping name
Not applicable.
IATA proper shipping name
Not applicable.

## 14.3 Transport hazard class(es)

ADR class Not applicable.

IMDG class Not applicable.

IATA class Not applicable.

Transport labels Not applicable

#### 14.4 Packing group

ADR/RID/ADN packing group

IMDG packing group

IATA packing group

Not applicable.

Not applicable.

# 14.5 Environmental hazards

ADR No IMDG No IATA No

## 14.6 Special precautions for user

EMS Not applicable.
Emergency action code Not applicable.
Hazard no. (ADR) Not applicable.
Tunnel restriction code Not applicable.

# 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

## **Section 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals

(REACH).

**Approved code of practice** 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents)

Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens)

Regulations (2001-2019)

## 15.2 Chemical safety assessment

**Chemical safety assessment** No chemical safety assessment has been carried out.

## **Section 16: Other information**

General information This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.

**Revision comments** This is a first issue. **Revision date** 20 May 2021

Revision

Safety data sheet status Approved.

#### Hazard statements in full

H319 Causes serious eye irritation.H315 Causes skin irritation.

**H412** Harmful to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.
H302 Harmful if swallowed.
H318 Causes serious eye damage.
H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.H341 Suspected of causing genetic defects .

H350 May cause cancer .H310 Fatal in contact with skin.

**H330** Fatal if inhaled.

**H410** Very toxic to aquatic life with long lasting effects.

**EUH208** Contains 1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one and reaction mass of: 5-

chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1). May

produce an allergic reaction.

**EUH211** Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray

or mist.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.