ProductWindow Sill PaintRevision date17 April 2020

Revision 1



# **Safety Data Sheet (SDS)**

according to Regulation (EC) No. 1907/2006

## Section 1: Identification of the substance/preparation and of the company/undertaking

#### 1.1 Product identifier

Product name Window Sill Paint Synonyms, Trade names No information available.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified usesPaint or paint related material.Uses advised againstNo uses advised against are identified.

#### 1.3 Details of the supplier of the safety data sheet

Supplier FSW Coatings Ltd

Virginia Co Cavan Ireland

Tel: 353 49854 7209

Contact person info@fsw.ie

1.4 Emergency telephone number

Emergency telephone + 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)

## **Section 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Not classified Human health Not classified Environment Not classified

## 2.2 Label elements

**Contains** Not applicable

Label in accordance with (EC) no.  $\,$ 

1272/2008

No pictogram required

Signal word No Signal Word

Hazard statements No hazard statements required

**Precautionary statements** No precautionary statements required

#### 2.3 Other hazards

None known.

### Section 3: Composition/identification of ingredients

### 3.1 Substance

Not applicable.

#### 3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%
titanium dioxide	CAS-No.: 13463-67-7 EC No.: 236-675-5		20-25%
propane-1,2-diol	CAS-No.: 57-55-6 EC No.: 200-338-0 REACH Reg No.: 01-2119456809-23-0000		1-5%
2-(2-butoxyethoxy)ethanol	CAS-No.: 112-34-5 EC No.: 203-961-6 REACH Reg No.: 01-2119475104-44-XXXX	Eye Irrit.2A - H319	0.1-0.9%
2-aminoethanol ethanolamine > 5%	CAS-No.: 141-43-5 EC No.: 205-483-3	Acute Tox 4 - H302, Acute Tox 4 - H312, Acute Tox 4 - H332, Skin Corr. 1B - H314, STOT SE 3 - H335	0.1-0.9%
2,2',2"-nitrilotriethanol	CAS-No.: 102-71-6 EC No.: 203-049-8 REACH Reg No.: 01-2119486482-31-XXXX		0.1-0.9%
ammonia 0.1018%	CAS-No.: 1336-21-6 EC No.: 215-647-6	Skin Corr. 1B - H314, Aquatic Acute 1 - H400	0.1-0.9%
diuron (ISO) 3-(3,4-dichlorophenyl),1-dimethylurea	CAS-No.: 330-54-1 EC No.: 206-354-4	Acute Tox 4 - H302, Carc. 2 - H351, STOT RE 2 - H373, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	<0.1%
zinc oxide	CAS-No.: 1314-13-2 EC No.: 215-222-5 REACH Reg No.: 01-2119463881-32-0000	Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	<0.1%
2,2'-iminodiethylamine	CAS-No.: 111-40-0 EC No.: 203-865-4 REACH Reg No.: 01-2119473793-27	Acute Tox 4 - H302, Acute Tox 4 - H312, Acute Tox 2 - H330, Skin Corr. 1B - H314, Skin. Sens 1 - H317, STOT SE 3 - H335	<0.1%
formaldehyde 0.0005%	CAS-No.: 50-00-0 EC No.: 200-001-8	Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Muta. 2- H341, Carc. 1B - H350	<0.001%

The full text for all hazard statements are displayed in section 16.

**Composition comments** The data shown are in accordance with the latest EC Directives.

#### **Section 4: First aid measures**

#### 4.1 Description of first aid measures

**General information** Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if

symptoms persist, always call a doctor.

**Inhalation** Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort or breathing difficulties develop.

**Ingestion** Rinse mouth out and then drink plenty of water. Seek medical attention.

**Skin contact** Remove affected person from source of contamination. Wash exposed area with soap and

water. Get medical attention if irritation develops or persists.

**Eye contact** Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle

stream water for at least 15 minutes. Seek medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

InhalationNo specific symptoms noted.IngestionNo specific symptoms noted.Skin contactNo specific symptoms noted.Eye contactNo specific symptoms noted.

# 4.3 Indication of any immediate medical attention and special treatment needed

#### **Section 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Extinguishing media This product is not flammable. Use fire-extinguishing media appropriate for surrounding

materials. Water spray, foam, dry powder or carbon dioxide.

**Unsuitable extinguishing media** High volume water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Unusual fire & explosion hazards

Specific hazards

None Known.

No unusual fire or explosion hazards noted.

None noted.

## **5.3 Advice for firefighters**

**Special fire fighting procedures** Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires

from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so.

**Protective equipment for firefighters** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-

fighters (including helmets, protective boots and gloves) conforming to European standard

EN 469 will provide a basic level of protection for chemical incidents.

#### Section 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

For emergency responders Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

### **6.2 Environmental precautions**

**Environmental precautions** Avoid discharge in to drains and water courses.

# 6.3 Methods and material for containment and cleaning up

Spill clean up methods Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with

non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled

container. Wash thoroughly after dealing with a spillage.

### **6.4 Reference to other sections**

**Reference to other sections** See section 1 for emergency contact. For personal protection, see section 8. For waste

disposal, see section 13.

## **Section 7: Handling and storage**

### 7.1 Precautions for safe handling

**Handling** Read and follow manufacturer's recommendations. Observe occupational exposure limits and

minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper

personal protection when handling (refer to Section 8).

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly closed original container in a cool, dry and well-ventilated place. Keep

upright, locked up and out of reach of children.

**Storage class** Unspecified storage.

#### 7.3 Specific end use(s)

**Specific end use(s)**The identified uses for this product are detailed in Section 1. **Usage description**Use only according to directions. Replace and tighten cap after use.

Page 3 of 9

## Section 8: Exposure controls/Personal protection

## **8.1 Control parameters**

Component	STD	TWA (	(8 Hrs)	STEL (	15mins)	Notes
titanium dioxide	OEL		10 mg/m <sup>3</sup>			
titanium dioxide	OEL		4 mg/m <sup>3</sup>			
titanium dioxide	WEL		10 inhalable aerosol mg/m³			
titanium dioxide	WEL		4 respirable aerosol mg/m³			
propane-1,2-diol	OEL	150 ppm	470 mg/m <sup>3</sup>			
propane-1,2-diol	OEL		10 mg/m <sup>3</sup>			
propane-1,2-diol	WEL		10 mg/m <sup>3</sup>			
propane-1,2-diol	WEL	150 ppm	474 mg/m <sup>3</sup>			
2-(2-butoxyethoxy)ethanol	WEL	10 ppm	67,5 mg/m <sup>3</sup>	15 ppm	101,2 mg/m <sup>3</sup>	
2-(2-butoxyethoxy)ethanol	OEL	10 ppm	67.5 mg/m <sup>3</sup>	12 ppm	101.2 mg/m <sup>3</sup>	IOELV
2-aminoethanol ethanolamine > 5%	OEL	1 ppm	2.5 mg/m <sup>3</sup>	3 ppm	7.6 mg/m <sup>3</sup>	Sk, IOELV
2-aminoethanol ethanolamine > 5%	WEL	1 ppm	2,5 mg/m <sup>3</sup>	3 ppm	7,6 mg/m <sup>3</sup>	Sk
2,2',2"-nitrilotriethanol	OEL		5 mg/m <sup>3</sup>			
diuron (ISO) 3-(3,4-dichlorophenyl),1-dimethylurea	OEL		10 mg/m <sup>3</sup>			
diuron (ISO) 3-(3,4-dichlorophenyl),1-dimethylurea	WEL		10 mg/m <sup>3</sup>			
zinc oxide	OEL		2 (R) mg/m <sup>3</sup>		10 mg/m <sup>3</sup>	
2,2'-iminodiethylamine	OEL	1 ppm	4 mg/m <sup>3</sup>			Sk
2,2'-iminodiethylamine	WEL	1 ppm	4,3 mg/m <sup>3</sup>			Sk
formaldehyde 0.0005%	OEL	0.2 ppm		0.4 ppm		BOELV, Carc 1B, Sens, Limit value 0.5ppm/0.62mg/m3 for the healthcare, funeral and embalming sectors until 11 July 202420.
formaldehyde 0.0005%	WEL	2 ppm	2,5 mg/m <sup>3</sup>	2 ppm	2,5 mg/m <sup>3</sup>	Carc

**Ingredient comments** 

Ireland, Occupational Exposure Limits 2020.

 $Workplace\ Exposure\ Limits\ Guidance\ Note\ EH40/2005.$ 

### **8.2 Exposure Controls**

Protective equipment



**Engineering measures** 

Observe occupational exposure limits and minimize the risk of inhalation of dust. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

**Hand protection** 

Use suitable protective gloves if there is a risk of skin contact. Consult manufacturer for specific advice. Suggested material: Nitrile rubber gloves. Layer thickness: 0.11mm. Breakthrough time: >480 min.

Eye protection

Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).

Other protection Hygiene measures Wear appropriate clothing to prevent any possibility of skin contact. Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or

smoke while using this product. Avoid contact with skin, eyes and clothing.

**Process conditions** 

Use only according to directions. Ensure that eye flushing systems and safety showers are

located close by in the work place.

#### Section 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

AppearanceViscous liquid.ColourWhiteOdourFaint odour.

**Odour threshold - lower**No information available as testing has not been completed on the finished product.

**Odour threshold - upper**No information available as testing has not been completed on the finished product.

pH-Value, Conc. Solution >8.1

**pH-Value, Diluted solution**No information available as testing has not been completed on the finished product.

Melting point May start to solidify at the temperatures below 2°C. This is based on data for the following

ingredient: water

Initial boiling point and boiling

range

>42°C

**Flash point** Not applicable.

**Evaporation rate** Not applicable.

Flammability state Non flammable

Flammability limit - lower(%) No information available as testing has not been completed on the finished product.

Flammability limit - upper(%) Upper: 0%

Vapour pressure Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa

(23.4 mm Hg) (at 20°C)

Vapour density (air=1) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan-

1,3-diol).

Relative density 1.3

Bulk density Not applicable as the product is a liquid.

**Solubility** Partially soluble in cold water.

**Decomposition temperature** Stable under normal handling and storage conditions

Partition coefficient; n-

Octanol/Water

No information available as testing has not been completed on the finished product.

Auto ignition temperature (°C) Not applicable.

Viscosity Kinematic (40°C): >0.21 cm<sup>2</sup>/s

**Explosive properties** Not classified as explosive.

Oxidising properties The product does not meet the criteria to be classified as oxidising.

9.2 Other information

**Molecular weight** Not applicable as the product is a mixture.

Volatile organic compound 50.00 g/litre

**Other information** Volume solids: 37.0% +/- 1.0%.

Weight Solids: 53.0% +/- 1.0%.

# Section 10: Stability and reactivity

10.1 Reactivity

**Reactivity** No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

**Hazardous reactions** For information on hazardous reactions see section 10.1.

Hazardous polymerisationUnknown.Polymerisation descriptionUnknown.

**10.4 Conditions to Avoid** 

Conditions to avoid No specific conditions to avoid are noted.

10.5 Incompatible materials

**Materials to avoid**Do not mix with other chemicals unless listed on directions. Strong oxidising substances.

10.6 Hazardous decomposition products

**Hazardous decomposition products** When heated, vapours/gases hazardous to health may be formed.

#### **Section 11: Toxicological information**

#### 11.1 Information on toxicological effects

**Toxicological information** No toxicological information for the overall finished product.

Acute toxicity (Oral LD50)

Acute toxicity (Dermal LD50)

Acute toxicity (Inhalation LD50)

No information available as testing has not been completed on the finished product.

No information available as testing has not been completed on the finished product.

No information available as testing has not been completed on the finished product.

**Serious eye damage/irritation** Product is not classified as an eye irritant.

**Skin corrosion/irritation** The product is not classified as a skin corrosion/irritation hazard.

**Respiratory sensitisation**The product is not classified as a respiratory hazard. **Skin sensitisation**The product is not classified as a skin sensitisation hazard.

**Germ cell mutagenicity** The product is not classified as a mutagen.

**Carcinogenicity** The product is not classified as a carcinogen hazard.

Specific target organ toxicity - Single exposure:

STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.

 $\label{lem:specific target organ toxicity - Repeated exposure:} \\$ 

**STOT - Repeated exposure**The product is not classified as a repeat exposure specific target organ toxin.

InhalationNo specific symptoms noted.IngestionNo specific symptoms noted.Skin contactNo specific symptoms noted.Eye contactNo specific symptoms noted.

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

**Routes of entry** Eyes, skin, ingestion or inhalation. **Target organs** No target organs specified.

**Aspiration hazards:** The product is not classified as an aspiration hazard. **Reproductive toxicity:** The product is not classified as a reproductive hazard.

Name	LD50 oral	LD50 dermal	LD50 inhalation
propane-1,2-diol	22000.00mg/kg Rat	>2000.00mg/kg Rabbit	
2-(2-butoxyethoxy)ethanol	>2000.00mg/kg Rat 3305.00mg/kg Rat	>2000.00mg/kg Rabbit 2764.00mg/kg Rabbit	
formaldehyde 0.0005%	>200.00mg/kg Rat		

#### **Section 12: Ecological information**

#### 12.1 Toxicity

Acute toxicity - Fish No information available as testing has not been completed on the finished product. Acute toxicity - Aquatic invertebrates No information available as testing has not been completed on the finished product. **Acute toxicity - Aquatic plants** No information available as testing has not been completed on the finished product. Acute toxicity - Microorganisms No information available as testing has not been completed on the finished product. **Chronic toxicity - Fish** No information available as testing has not been completed on the finished product. **Chronic toxicity - Aquatic** No information available as testing has not been completed on the finished product. invertebrates

**Chronic toxicity - Aquatic plants** 

**Chronic toxicity - Microorganisms** 

**Ecotoxicity** 

No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product. The product is not classified as environmentally hazardous. However, this does not exclude

the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

Not classified as dangerous for the environment according to the criteria of Regulation (EC) Eco toxilogical information

No 1272/2008.

#### 12.2 Persistence and degradability

The degradability of the product has not been stated. Degradability

Biological oxygen demand Chemical oxygen demand

No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product.

### 12.3 Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation. **Bioaccumulation factor** No information available as testing has not been completed on the finished product. Partition coefficient; n-

Octanol/Water

No information available as testing has not been completed on the finished product.

## 12.4 Mobility in soil

**Mobility** Partially soluble in cold water.

#### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

## 12.6 Other adverse effects

Other adverse effects None known.

Name	Acute toxicity (Fish)	Acute toxicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
propane-1,2-diol	LC50 96 Hours 40613.00mg/l Onchorhynchus mykiss (Rainbow Trout)		
	LC50 96 Hours 1300.00mg/l Lepomis macrochirus (Bluegill)	EC50 48 Hours >100.00mg/l Daphnia magnaEC50 48 Hours >100.00mg/l Daphnia magna	
diuron (ISO) 3-(3,4-dichlorophenyl),1-dimethylurea	LC50 96 Hours 14.70mg/l Onchorhynchus mykiss (Rainbow Trout)	EC50 48 Hours 1.40mg/l Daphnia magna	EC50 72 Hours 0.02mg/l Scenedesmus Subspicatus
zinc oxide	LC50 96 Hours 0.14mg/l Onchorhynchus mykiss (Rainbow Trout)	EC50 48 Hours 0.17mg/l Daphnia magna	

#### **Section 13: Disposal considerations**

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

#### 13.1 Waste treatment methods

**Disposal methods** Dispose of waste and residues in accordance with local authority requirements, and in

accordance with all local, national and international regulations. For waste disposal, use a

licensed industrial waste disposal agent.

#### **Section 14: Transport information**

### 14.1 UN number

UN no. (ADR)
UN no. (IMDG)
UN no. (IATA)
Not applicable.
Not applicable.

#### 14.2 UN proper shipping name

ADR proper shipping name
IMDG proper shipping name
Not applicable.
IATA proper shipping name
Not applicable.

#### 14.3 Transport hazard class(es)

ADR class Not applicable.

IMDG class Not applicable.

IATA class Not applicable.

Transport labels Not applicable

#### 14.4 Packing group

ADR/RID/ADN packing group

IMDG packing group

IATA packing group

Not applicable.

Not applicable.

#### 14.5 Environmental hazards

 ADR
 No

 IMDG
 No

 IATA
 No

#### 14.6 Special precautions for user

EMS Not applicable.
Emergency action code Not applicable.
Hazard no. (ADR) Not applicable.
Tunnel restriction code Not applicable.

## 14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

### **Section 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th

May 2010 amending regulation (EC) No 1907/2006.

**Approved code of practice** 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents)

Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens)

Regulations (2001-2019)

Workplace Exposure Limits Guidance Note EH40/2005.

Chemical safety assessment

No chemical safety assessment has been carried out.

#### **Section 16: Other information**

**General information** This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.

**Revision comments**This is a first issue. **Revision date**17 April 2020

Revision

Safety data sheet status Approved.

#### **Hazard statements in full**

H319 Causes serious eye irritation.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.

**H314** Causes severe skin burns and eye damage.

**H332** Harmful if inhaled.

**H335** May cause respiratory irritation. **H400** Very toxic to aquatic life.

**H317** May cause an allergic skin reaction.

**H410** Very toxic to aquatic life with long lasting effects.

 $\mbox{ H351} \qquad \qquad \mbox{Suspected of causing cancer} \; .$ 

H373 May cause damage to organs through prolonged or repeated exposure .

H311 Toxic in contact with skin.H331 Toxic if inhaled.

H301 Toxic if swallowed.
H318 Causes serious eye damage.

**H310** Fatal in contact with skin. **H330** Fatal if inhaled.

**H341** Suspected of causing genetic defects .

**H350** May cause cancer.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.